



E-mail: distributor@hyggeraquarium.com


Website: www.hyggeraquarium.com




HC004 USER MANUAL

hygger CO2 Static Cling Fish Tank Background Paper


INSTALLATION INSTRUCTIONS



1. Clean the fish tank glass surface, and ensure no ash and foreign objects are sticking to it. Otherwise, it is easy to form air bubbles.



2. Spray soapy water onto the surface of the tank glass.




3. Stick the included small sticker to one corner of the background paper



4. Tear off the transparent film on the back.



5. Spray the soapy water on it.



6. Attach the background paper to the tank.



7. Scrape off all air bubbles and excessive water.



8. Trim off the excessive edges.

PACKING LIST

- 1x Background paper
- 1x Small spray bottle
- 1x Small scraper
- 1x User manual

ATTENTIONS

1. Soapy water: Add a drop of detergent to about 500ml of water, shake evenly, and then fill it into a small spray bottle.
2. When spraying the soapy water, the nozzle should be about 6 inches away from the tank's surface and the background paper for spraying the soapy water more evenly on the surface.
3. When scraping water and bubbles, scrape a straight line from the middle, then scrape out the bubbles and water on both sides.
4. If any air bubbles are not removed, please tear off the background paper, spray lots of soapy water on the glass and background paper, paste it again, and then scrape off the air bubbles and excess water.
5. If the edges or corners of the background paper are not firmly stuck, please tear this part, spray lots of soapy water on the glass and background paper, paste it again, and then scrape off the air bubbles and excess water.